



Analog Outputs



FL-SC-DI04-R004


Power Supply

Flexys GT35-230V AC


Flexys GT35-24V DC




General Specification




Functional Specifications



Dimensions (in mm)




Communication



Port Description

Port 1 (6 Pin Jack)	Description

Functional Features



Ordering Information

CE

CE

CE

CE

Supported I/O Cards

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

CE

Accessories

Accessories for Communication

AC-USB-RS485-03 (USB to 6 Pin RJ25 Jack)

AC-USB-RS485-02 (USB to 2 Pin Open Wire)

Expansion Module Cables & Adapter

ACH-004 (6 Pin to 6 Pin RJ25 Jack) for Expansion only (Cable)

AC- OEXP-03 (Port Expansion Adapter)

Window-Based Software for Ladder Programming

ACD-005

Relay Module

1) RLYMD-1-S4-1CO-24VDC : 4 Channel 1 Change Over Relay module

2) RLYMD-1-S4-2CO-24VDC : 4 Channel 2 Change Over Relay module

3) RLYMD-2-S8-1CO-24VDC : 8 Channel 1 Change Over Relay module

4) RLYMD-2-S8-2CO-24VDC : 8 Channel 2 Change Over Relay module

5) :

Power Supply Module

RP-3M-2.5A-24V DC, RP-3M-5A-24V DC

Expansion Modules on Master RS485

EXP-FLEX 2M : Expansion Module on Master RS485 (I/O same as Flexys I/O cards)